




HS3
























BODY COLOUR



Blue-Black



Gray



White-Black



White



Black



Green-Black

BODY DIMENSION





1668mm



1900mm 1900mm

4655mm

| PRODUCT SPECIFICATION

parameter Whe Acce	SPECIFICATION		
Basic Whe parameter Acce	de	1.5T 2WD	2.0T 4WD
parameter Whe Acce	gth × Width × Height [mm]		900*1668
parameter Acce Engir	selbase [mm]		770
Engi	eleration 100-0 km/h [s]	9.9	6.9
Displ	ine Technology	Direct Injection	+ Turbo Charging
51561	placement [L]	1.5T	2.0T
	power [kW]	124	185
Max	r Torque [Nm]	258	380
	consumption [L/100km] WLTC	6.8	7.5
	stop-start system		
	e mode	FF	4WD
Driving	rsmission	7DCT	8AT
System	t lever type	55/235R18	ic control
Tyre	re Tyre		50/235R19 ■
	nt suspension type		endent suspension
Chassis / Steering Rear	r suspension type		endent suspension
SVSTEM	superison ype ring system		:PS
	er airbag front passenger airbag & front seats airbags		•
	l curtain airbags	•	•
Fron	nt seats double pre-tightening and two-stage force limiting seatbelt with lock-tongue		
Pre-t	tightening and force limiting seatbelt-two sides of the rear seats		
Seat	tbelt reminder-front		
	tbelt reminder-rear		
	+EBD+EBA+TCS+ESP+EPB		•
	IS(with pressure display and warning)		-
	nt parking sensor	_	•
	r parking sensor		•
	e departure warning (LDW)	-	-
Specification Lane	e keeping assistance(LKA)	_	-
Blind	d spot detection (BSD)	-	-
	onomous emergency braking (AEB)	-	
	vard collision warning system (FCW) r collision warning system (RCW)	-	
	r collision warning system (RCW) or opening anti-collision warning system		-
	ral warning system for reversing	•	-
	e change assist system	-	
	gue monitoring system	-	
	start assist control (HAC)	-	-
	descent control (HDC)	_	-
	ALL for GCC nations		
LED 1	headlamp+daytime running lamp+brake lamp		•
Auto	o headlamp+Follow me home function	•	•
Auto	omatic leveling system ALS	-	
	lligent high-beam control IHC		
Lighting Weld	come light	-	
	r reading light		•
	rior ambient lighting footwells,dashboard,four door trims		-
	rior ambient lighting footwells, dashboard, four door trims, auxiliary instrument panel	-	•
	d, front grille flag light (water flowing effect)	-	
	flag light	-	•
	ation leather seats		-
	ther seats	_	•
	er's seat electrical adjustments (-6way) er's seat electrical adjustments (-12way) with position memory function	_	_
	it passenger's seat electrical adjustments (-4way)	•	-
	r seat back angle adjustment and proportional fold		-
	it seats with heating function	-	-
	tt seats with rentilation function	-	-
	omatic A/C (2 Zone)	-	
	ative oxygen ion generator	_	-
	ve grille	_	-
Δrou	und view monitor(AVM)		-
Ventilation	conductive front windshield wiper		-
X Visibility	trical adjustment outside mirrors with electrical folding,lock folding,heating function	_	
	trical adjustment outside mirrors with electrical folding,lock folding,heating,position memory function,reverse automatic rolling down function	-	•
Auto	omatic anti-glare interior mirror	-	
	orama glass sunroof		•
	timedia infotainment system		•
	Sinch LCD multimedia screen		•
	eakers		_
	peakers	-	•
	tal audio broadcasting(DAB)		
40.0	Sinch LCD screen instrument	-	-
	ine keyless Start/Stop		-
Engi	note key to start the engine	_	-
Engii Rem	nt door keyless entry	-	-
Engii Rem Front	dows, sunroof automatically closed when locked car multi-function steering wheel		-
Engii Rem Front Wind	MULIALIDATION STARTING WINGO	_	
Engi Rem Fron Wind PVC			
Engi Rem Fron Wind PVC Leath	her multi-function steering wheel	-	-
Engi Rem Front Wind PVC Leatt Steer	ther multi-function steering wheel ering wheel manual adjustment	-	•
Engi Rem Fron' Winc PVC Leatt Steer 120k	ther multi-function steering wheel pring wheel manual adjustment km/h speed limit warning	- -	
Engi Rem Fron' Wind PVC Leath Stee 120k USB	ther multi-function steering wheel pring wheel manual adjustment km/h speed limit warning sockets, front 2 typeA+typeC , Rear 2 typeA+typeC	-	1
Engi Rem Fron Wind PVC Leath Steer 120k USB Convenience	ther multi-function steering wheel pering wheel manual adjustment km/h speed limit warning sockets, front 2 typeA+typeC , Rear 2 typeA+typeC socket, topceiling 1	-	
Engine Remover Front Wind PVC Leath Steed 120k USB Convenience USB 15W	ther multi-function steering wheel string wheel manual adjustment km/h speed limit warning sockets, front 2 typeA+typeC , Rear 2 typeA+typeC socket, topceiling 1 V Wireless phone charging	-	
Engin Remonstrated Front Wind PVC Leath Steed 120k USB Convenience USB 15W 40W	ther multi-function steering wheel string wheel manual adjustment km/h speed limit warning sockets, front 2 typeA+typeC , Rear 2 typeA+typeC socket, topceiling 1 V Wireless phone charging V Wireless phone charging	-	
Engine Remonstrated Remonstrate	ther multi-function steering wheel sering wheel manual adjustment km/h speed limit warning sockets, front 2 typeA+typeC , Rear 2 typeA+typeC socket, topceiling 1 V Wireless phone charging V Wireless phone charging e Mode (Comfort,Eco,Sport)	-	**************************************
Engine Remonstrate Processing Remonstrate	ther multi-function steering wheel string wheel manual adjustment km/h speed limit warning sockets, front 2 typeA+typeC , Rear 2 typeA+typeC socket, topceiling 1 V Wireless phone charging V Wireless phone charging e Mode (Comfort,Eco,Sport) e Mode (Comfort,Eco,Sport,Sport+,Custom)		
Engine Remonstrate Front Street Leath Steer 120k USB Convenience USB 15W 40W Drive SACC	ther multi-function steering wheel sering wheel manual adjustment km/h speed limit warning sockets, front 2 typeA+typeC , Rear 2 typeA+typeC socket, topceiling 1 V Wireless phone charging V Wireless phone charging e Mode (Comfort,Eco,Sport) e Mode (Comfort,Eco,Sport,Sport+,Custom)		1 1 1 1
Engine Remonstrate Front Wind PVC Leath Steer 120k USB USB 15W 40W Drive Drive SACC Auto	ther multi-function steering wheel wring wheel manual adjustment km/h speed limit warning sockets, front 2 typeA+typeC , Rear 2 typeA+typeC socket, topceiling 1 v Wireless phone charging v Wireless phone charging e Mode (Comfort,Eco,Sport) e Mode (Comfort,Eco,Sport,Sport+,Custom) c C comatic parking		1 1 1 1 1
Engin Remore Front Wind PVC Leath Steer 120k USB 15W 40W Drive SACC Auto AUTo Remore Remore Remore SACC Auto AUTo Remore	ther multi-function steering wheel ring wheel manual adjustment km/h speed limit warning sockets, front 2 typeA+typeC , Rear 2 typeA+typeC socket, topceiling 1 V Wireless phone charging V Wireless phone charging e Mode (Comfort,Eco,Sport) e Mode (Comfort,Eco,Sport,Sport+,Custom) CC comatic parking TOHOLD		1 1 1 1 1 1
Engin Remming Front Wind PVC Leath Steem 120k USB 15W 40W Drive SACC Auto AUTi	ther multi-function steering wheel string wheel manual adjustment km/h speed limit warning sockets, front 2 typeA+typeC , Rear 2 typeA+typeC socket, topceiling 1 V Wireless phone charging V Wireless phone charging e Mode (Comfort,Eco,Sport) e Mode (Comfort,Eco,Sport,Sport+,Custom) comatic parking OHOLD tric trunk with stop function		
Engine Remonstrate Front Steem PVC Leath Steem 120k USB Convenience USB 155W 40W Drive Drive SACC Auto Auto Elect Indus	ther multi-function steering wheel ring wheel manual adjustment km/h speed limit warning sockets, front 2 typeA+typeC , Rear 2 typeA+typeC socket, topceiling 1 V Wireless phone charging V Wireless phone charging e Mode (Comfort,Eco,Sport) e Mode (Comfort,Eco,Sport,Sport+,Custom) CC comatic parking TOHOLD		

^{*} Notes: Standard - None

* Disclaimer: Product specifications, configurations and data are all subject to change without notice.





